

Republic of the Philippines  
**OFFICE OF THE SOLICITOR GENERAL**  
 134 Amorsolo St., Legaspi Village  
 Makati City

**PURCHASE ORDER**

Supplier: <b>A.G. DATACOM PHILS., INC.</b>	P.O. # <b>024-11-182</b>
Address: Suite 1705 17F Atlanta Centre Bldg., #31 Annapolis St. Greenhills, San Juan City	Date: November 11, 2024
TIN: 202-990-617-000	Mode of Procurement: NP - Small Value Procurement
Account No.: 0551-0569-61      Bank: LBP - Edsa Greenhills, Mandaluyong	
Telephone: 8584 0988 / 8584 1173      Email Add: danrev.carpio@agdatacom.com	

Gentlemen:  
 Please furnish this Office the following articles subject to the terms and conditions contained herein:

Place of Delivery: <b>OFFICE OF THE SOLICITOR GENERAL</b>	Delivery Term: w/n Thirty (30) days upon receipt of PO
Date of Delivery:	Payment Term: Within thirty (30) days from the completion of the delivery and issuance of IAR (Bank to Bank)

Stock No.	Unit	Description	Qty.	Unit Cost	Amount
		<b>Procurement of Office Equipment:</b> <b>SOUND SYSTEM FOR THE TRAINING/CONFERENCE ROOM AT CONVERGYS ONE BUILDING</b>  <i>Delivery Address:</i> 7th Floor CONVERGYS ONE BUILDING 6796 Ayala Avenue cor. Salcedo St., Legaspi Village, Makati City  <b>INCLUSIONS</b>			
1	unit	<b>POWERWERKS PW15PRO (High Performance Loud Speaker)</b> Output Peak Power: 1000 Wattspeak Equipped of: Low Frequency - 15" Speaker; High Frequency: HF Compression Driver Connectors: 2 x Combo Jack Input; 1/8" Input; Bluetooth Input; XLR Line Out Controls: Music/Voice EQ; Selection on Instrument Channels; Mic/Line Gain on Instrument Channels; Bluetooth Enable and Pair; Volume Control on Every Channel; Master Volume Control Cabinet: Medium Density Fiberboard; Black Warranty: 1 year	2 ✓	Php 43,269.94	Php 86,539.88
2	unit	<b>WIRELESS MICROPHONE HANDHELD (2 sets)</b> <b>Mipro ACT58H Dual Transmitter</b> Frequency Range - ISM 5.8GHz Modulation Type - Digital RF Output Power - 20mW (country dependent) Equipped of LED Display; Battery Meter: 3 level Warranty: 1 year	2 ✓	17,221.93	34,443.86
3	unit	<b>Mipro ACT5812A Receiver</b> Channel: Dual; Chassis: EIA Standard 1U Metal Case Antenna - Detachable; Rear Panel; Display: Graphic OLED Frequency Range: ISM 5.8GHz (5,725-5850MHz) Preset Channels - Presets 12 channels of interference-free operation in Group codes and 1 specific ID are allowed to be set for each channel to prevent the same channel interfered on the same occasion.  Receiving Mode - Dual-tuner true diversity receiving; MIPRO's Act Sync channel set-up; Sample Rate: 24 bit / 48kHz; Frequency Response: 18Hz - 23 kHz; Dynamic Range: 120dBA Output Connectors: Balanced XLR & Unbalanced Ø 6.3mm, -10 ~ +20dB adjustable range; Power Supply: External 100~240V AC switching power supply Warranty: 1 year	1 ✓	37,575.12	37,575.12
4	unit	<b>Energizer Rechargeable Batteries</b> Rechargeable Battery	2 ✓	2,846.60	5,693.20

5	unit	<b>WIRELESS MICROPHONE HEADWORN (2 sets)</b> <b>Mipro ACT58T Dual Transmitter</b> Frequency Range - ISM 5.8GHz; Digital Bodypack Transmitter with MU-53LX Lavalier Microphone Miniature, sturdy plastic compact housing design for easy to RF Output Power - 20mW Design: Equipped of an adjustable belt clip which allows wearing the transmitter in the up or down position; With Unique battery cover which allows easy access to operate buttons and the lock device prevents accidental operation; On the top of the housing is equipped with an antenna, mini XLR connector, mute button, and a remote control mute jack; With mini XLR Connector that accepts either a screw-lock or a TA4F quick lock plug Warranty: 1 year	2 ✓	Php	15,656.30	Php	31,312.60
6	unit	<b>Mipro MU53HN Headworn</b> Flexible and durable headset frames with comfortable, soft ear-hooks High dynamic range and low distortion Design: The microphone boom is easily detachable from the frame and can be worn on the left or right side of the frame; The boom holder is fully rotatable so as to make adjustments in length, direction, and angle for precise and optimum capsule Warranty: 1 year	2 ✓		8,539.80		17,079.60
7	unit	<b>Mipro ACT5812A Receiver</b> Channel: Dual; Chassis: EIA Standard 1U Metal Case Antenna - Detachable; Rear Panel; Display: Graphic OLED Frequency Range: ISM 5.8GHz (5,725-5850MHz) Preset Channels - Presets 12 channels of interference-free operation in Group codes and 1 specific ID are allowed to be set for each channel to prevent the same channel interfered on the same occasion. Receiving Mode - Dual-tuner true diversity receiving; MIPRO's Act Sync channel set-up; Sample Rate: 24 bit / 48kHz; Frequency Response: 18Hz - 23 kHz; Dynamic Range: 120dBA Output Connectors: Balanced XLR & Unbalanced Ø 6.3mm, -10 ~ +20dB adjustable range; Power Supply: External 100~240V AC switching power supply Warranty: 1 year	1 ✓		37,575.11		37,575.11
8	unit	<b>PRESONUS STUDIOLIVE 16.0.2 USB DIGITAL MIXER (1 unit)</b> Type: Digital Mixer; Channels: 16 channel inputs - 4 of them are stereo channels, and 12 with XMAX mic preamps, a built-in 18x16 USB 2.0 interface; Features: Extensive Metering; Scene and setting save/recall; MIDI Control; Lightweight and rack-mountable; Operates like an analog console and delivers Inclusions: PreSonus' UC Surface Control Software, Capture™ recording software, Qmix®-UC aux control app, and Studio One® Artist DAW. Warranty: 2 years	1 ✓		98,634.69		98,634.69
9	set	<b>SARAMONIC WiTALK WT9S (Wireless Headset Intercom System) (1 set)</b> Inclusions: 1 x WiTalk HUB Base Station; 8 x WiTalk SRH Headset; 9 x WiTalk BP Battery (Rechargeable), 1 x Ten (10) port battery charger, Adaptor, and Toolbox Rechargeable Batteries must be Lithium-ion Battery which should lasted up to 10 hours of run / talk time Features: Full Duplex Wireless Headset Intercom System with Single-ear 1.9GHz technology for professional production teams; Boasts a range of 400m; Warranty: 2 years	1 ✓		101,337.82		101,337.82
10	unit	<b>AUDIO RACK</b> Proc case Type; Heavy Duty 14UW	1 ✓		34,159.20		34,159.20
11	unit	<b>PRO STAX PC-08D (Power Conditioner)</b> Feature: 1 x AC Output (Back); 1 x AC Output (Front) Line Voltage: AC 220v; With LCD Power Indication Equipped of Original ProStax with Case; AC Power Sequencer with Display, and Spike and Surge Protection Warranty: 1 year	1 ✓		6,148.66		6,148.66
12	unit	<b>SPEAKER STAND</b> Heavy Duty Speaker Tripod Load Capacity: At least 50kg	2 ✓		1,779.13		3,558.26

**Other Requirements**

1. All components must be compatible with each other.
2. The supplier must ensure that in the event assistance is needed for installation and operation, the agency's authorized representative can contact any available representative for support.
3. The supplier must provide knowledge transfer regarding the operation and basic troubleshooting of the equipment to the agency's authorized representative. This should include training sessions, documentation, and resources to ensure the representative is equipped to handle operational challenges effectively.
4. The supplier must provide at least 7 days warranty for replacement and at least one year service warranty.

The following documents shall be deemed to form & be read & construed as part of this


- Quotation
- Brochure
- Warranty Certificate
- Other documents may be required by laws

Total Amount in Words **Four Hundred Ninety Four Thousand Fifty Eight Pesos Only**


Php **494,058.00**

In case of failure to make the full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed.

Very truly yours,

Conforme:   
ARIEL J. UBINA  
(Signature over printed name)  
11/12/2024  
(Date)

  
**JESSICA L. CASTRO**  
CAO, Administrative Division

  
**EDITHA R. BUENDIA**  
Director IV, HRMAS

Funds Available:


ALOBS:

06-101101-2024-11-007

Amount:

₱ 494,058.00

*This is to certify that this procurement was posted at Philgeps in compliance with RA 9184*

  
**ARIEL J. UBINA**  
Chief Accountant

  
**CHRISTIAN D. BUAT**  
Admin Assistant I, Administrative Division